

Hep₂O

Hep₂O®

**Pocket
Trade Price List**

Hep₂O



FOR RESIDENTIAL, COMMERCIAL
AND INDUSTRIAL APPLICATIONS

July 4th 2011

Contents

	Page
Introduction to Hep₂O	2
Hep₂O	3
Polybutylene Pipe	3
Demountable Fittings	4-6
Auxiliary Fittings	7-10
Ancillary Pipe and Fittings	11
Accessories	12
Pipe Ancillaries	13
Conduit System	14
Heating Room Packs	14
Numerical Index	16
Important Notes	18
Important Notes	18
Quality Assurance	18
Contact	18

Introduction to

Hep₂O

The Next Generation of **Hep₂O** fittings is a revolutionary range, that has been developed in response to installer feedback, and introduces a number of unique and innovative features and benefits including;

- In4Sure joint recognition – tells you when the pipe is in.
- Secure demounting with the new HepKey system.
- New SmartSleeve for easy pipe insertion.
- 50 year industry leading Guarantee.
- Same great pipe now available in white.



Hep₂O is Kitemarked to Class S of BS 7291, parts 1 and 2 and is manufactured within a Quality Management System which satisfies BS EN ISO 9002.

Hep₂O is also approved by **WRAS** – deemed safe for use in the supply of drinking water.

Hep₂O Guarantee

As a result of its rigorous Quality Management programme, **Hep₂O** carries a 50 year guarantee against defect in materials or manufacturing of all its pipe and fittings.

Prices are for individual items within a pack unless otherwise stated.

Important Information

The transition from the previous version of **Hep₂O** to the next generation will be phased throughout 2011. The majority of pipe and fittings are now next generation (white) but some items will remain in the previous version (grey) for some time. Next generation and previous version fittings are fully compatible and are covered for mixed use by our industry leading 50 year guarantee. For further details visit www.hep2o.co.uk

Symbols

British Standards Kitemark

Identifies pipe and fittings which are manufactured under the BSI Kitemark Certification Scheme.

Important Note: Fittings of all product ranges must be ordered in their pack multiples as illustrated in price list.

Hep₂O fittings are pre-lubricated, no additional lubrication is required.

DO NOT use any flux, jointing compound or non Hep₂O lubricant on Hep₂O fittings.

Email: info@hep2o.co.uk

Web: www.hep2o.co.uk


Hep₂O

	Description	Nom Dia mm	Cat No	Pack Qty	Colour Ref	Price Each £
	Straight Coiled Pipe					
	Straight Coiled Lengths in SmartPack dispensers		Standard			
	Please Note: Order pipe by unit (coil) not by metre					
	25m ♥	15	HXP25/15	1	W	35.72
	50m ♥	15	HXP50/15	1	W	70.74
	100m ♥	15	HXP100/15	1	W	139.29
	25m ♥	22	HXP25/22	1	W	69.92
	50m ♥	22	HXP50/22	1	W	138.47
			Barrier			
	25m ♥	10	HXX25/10	1	W	35.32
	50m ♥	10	HXX50/10	1	W	69.60
	100m ♥	10	HXX100/10	1	W	137.12
	25m ♥	15	HXX25/15	1	W	41.58
	50m ♥	15	HXX50/15	1	W	82.26
	100m ♥	15	HXX100/15	1	W	161.98
	25m ♥	22	HXX25/22	1	W	81.13
	50m ♥	22	HXX50/22	1	W	160.66
	25m ♥	28	HXX25/28	1	W	109.40
	50m ♥	28	HXX50/28	1	W	217.76
	Pipe in Pipe System					
	Coil of Hep ₂ O Barrier Pipe in Blue or Red Conduit		Barrier			
	Please Note: Order pipe by unit (coil) not by metre					
	50m ♥	10	HXXC5010	1	Bu Rd	144.56
	50m ♥	15	HXXC5015	1	Bu Rd	166.23
	50m ♥	22	HXXC5022	1	Bu Rd	255.68
	25m ♥	28	HXXC2528	1	Bu Rd	210.50
	Cut Lengths					
			Standard			
	3.0m ♥	15	HXP03/15	10	W	4.52
	3.0m ♥	22	HXP03/22	10	W	8.78
			Barrier			
	3.0m ♥	15	HXX03/15	10	W	5.21
	3.0m ♥	22	HXX03/22	10	W	10.19
	3.0m ♥	28	HXX03/28	10	W	13.96

Important Note:

Order pipe by unit (length) not by metre. Cut lengths only available as pack quantities.


Hep₂O

	Description	Nom Dia mm	Cat No	Pack Qty	Colour Ref	Price Each £
	SmartSleeve Pipe Support	10	HX60/10	20	W	0.34
		15	HX60/15	50	W	0.35
		22	HX60/22	50	W	0.45
		28	HX60/28	20	W	0.67
	Straight Connector					
	♥	10	HD1/10	10	W	2.65
	♥	15	HD1/15	10	W	1.68
	♥	22	HD1/22	10	W	2.37
	♥	28	HD1/28	5	W	6.43
	Socket Reducer					
	15 x 10mm ♥	15	HD2/15	10	W	2.75
	22 x 15mm ♥	22	HD2/22	10	W	2.12
	28 x 22mm ♥	28	HD2/28	5	W	5.17
	Imperial Copper Adaptor 22mm - 3/4" ♥	22	HD3A/22	10	Gr	3.25
	Double Spigot Reducer 15 x 10mm ♥	15	HX310/15	5	W	1.47
	Spigot Elbow 90° Single Socket					
	♥	10	HD4/10	5	W	3.01
	♥	15	HD4/15	5	W	2.05
	♥	15x10	HD4A/15	5	W	3.01
	♥	22	HD4/22	5	W	3.01
	Elbow 90°					
	♥	10	HD5/10	10	W	3.01
	♥	15	HD5/15	10	W	2.05
	♥	22	HD5/22	10	W	3.01
	♥	28	HD5/28	5	W	7.71
	Obtuse Bend 135° Single Socket					
	♥	10	HD8/10	10	W	3.24
	♥	15	HD8/15	10	W	2.25
	♥	22	HD8/22	10	W	3.24
	Equal Tee					
	♥	10	HD10/10	10	W	3.71
	♥	15	HD10/15	10	W	2.89
	♥	22	HD10/22	10	W	3.93
	♥	28	HD10/28	5	W	10.64

Important Note:

All fittings are pre-lubricated - no additional lubrication required.
Hep₂O fittings are fully compatible with Hep₂O and copper pipe.

Hep₂O

	Description	Nom Dia mm	Cat No	Pack Qty	Colour Ref	Price Each £
	End Reduced Tee 22 x 15 x 22mm ♡	22	HD12/22	5	W	3.93
	28 x 22 x 28mm ♡	28	HD12/28	5	W	10.64
	Double End Reduced Tee 10 x 10 x 15mm ♡	15	HD18/15	5	W	3.93
	10 x 10 x 22mm ♡	22	HD18A/22	5	W	3.93
	15 x 15 x 22mm ♡	22	HD18/22	5	W	3.93
	22 x 22 x 28mm ♡	28	HD18/28	5	W	10.64
	Branch Reduced Tee 15 x 15 x 10mm ♡	15	HD13/15	5	W	3.93
	22 x 22 x 10mm ♡	22	HD13A/22	5	W	3.93
	22 x 22 x 15mm ♡	22	HD13/22	5	W	3.93
	28 x 28 x 15mm ♡	28	HD13A/28	5	W	10.64
	28 x 28 x 22mm ♡	28	HD13/28	5	W	10.64
	Branch Reduced Tee – Spigot 15 x 15 x 10mm ♡	15	HD15/15	5	W	3.93
	22 x 22 x 15mm ♡	22	HD15/22	5	W	3.93
	Branch and One End Reduced Tee 15 x 10 x 10mm ♡	15	HD14/15	5	W	3.93
	22 x 10 x 10mm ♡	22	HD14A/22	5	W	3.93
	22 x 15 x 15mm ♡	22	HD14/22	5	W	3.93
	28 x 22 x 22mm ♡	28	HD14/28	5	W	10.64
	Tank Connector with BSP tail & backnut (For cold water use only)					
	BSP 1/2"	15	HX20/15	10	W	2.29
	BSP 3/4"	22	HX20/22	10	W	2.90
	Straight Tap Connector with brass nut and alternative rubber washer					
	BSP 1/2" ♡	15	HD25A/15	10	W	2.76
	BSP 3/4" ♡	15	HD25B/15	5	W	3.26
	BSP 3/4" ♡	22	HD25B/22	5	W	3.54
	Bent Tap Connector with brass nut and alternative rubber washer BSP 1/2" ♡	15	HD27/15	5	W	3.06

Hep₂O



	Description	Nom Dia mm	Cat No	Pack Qty	Colour Ref	Price Each £
	Tap Connector Spanner for use with HD25 & HD27 Tap Connectors					
	BSP 1/2"	15	HX54	10	Y	1.35
	BSP 3/4"	15	HX54A	10	Bu	1.35
	Hand-Titan™ Tap Connector with rubber washer					
	BSP 1/2" ♥	10	HD26A/10	5	W	2.80
	BSP 1/2" ♥	15	HD26A/15	5	W	2.34
	BSP 3/4" ♥	15	HD26B/15	5	W	2.80
	BSP 3/4" ♥	22	HD26B/22	5	W	3.03
	Flexible Tap Connectors with brass nut & rubber washer					
	300mm BSP 1/2" *	15	HD125A/15	2	W	5.00
	300mm BSP 3/4" *	15	HD125B/15	2	W	5.72
	300mm BSP 3/4" *	22	HD125B/22	1	W	5.72
	500mm BSP 1/2" *	15	HD225A/15	2	W	7.43
	500mm BSP 3/4" *	15	HD225B/15	2	W	8.59
	500mm BSP 3/4" *	22	HD225B/22	1	W	8.59
	Demountable Stop-End					
	♥	10	HD62/10	10	W	2.35
	♥	15	HD62/15	10	W	2.24
	♥	22	HD62/22	10	W	2.81
	♥	28	HD62/28	5	W	4.42
	Blanking Peg For Demountable Hep ₂ O Fittings					
	♥	10	HX44/10	10	W	0.78
	♥	15	HX44/15	10	W	0.92
	♥	22	HX44/22	10	W	0.92
	♥	28	HX44/28	10	W	1.10
	HepKey Plus Demounting Tool					
		10	HX79/10	10		0.24
		15	HX79/15	10		0.28
		22	HX79/22	10		0.28
		28	HX79/28	10		0.31

* For intermittent hot and cold water use up to a maximum of 65°C
Not for use with Central Heating

Hep₂O

	Description	Nom Dia mm	Cat No	Pack Qty	Colour Ref	Price Each £
	Adaptor Male BSP/Hep ₂ O socket DZR Brass					
	BSP 1/2" ♡	15	HX29/15	10	W	4.42
	BSP 3/4" ♡	22	HX29/22	10	W	6.36
	BSP 1" ♡	28	HX29/28	5	W	12.08
	Adaptor Female BSP/Hep ₂ O socket DZR Brass					
	BSP 1/2" ♡	15	HX28/15	10	W	4.42
	BSP 3/4" ♡	15	HX24/15	10	W	6.36
	BSP 3/4" ♡	22	HX28/22	10	W	6.36
	BSP 1" ♡	28	HX28/28	5	W	12.49
	Adaptor Male BSP/Hep ₂ O spigot DZR Brass					
	BSP 1/2" ♡	15	HX31/15	10		2.47
	BSP 3/4" ♡	22	HX31/22	10		4.07
	BSP 1" ♡	28	HX31/28	10		5.96
	Adaptor Female BSP/Hep ₂ O spigot DZR Brass					
	BSP 1/2" ♡	15	HX30/15	10		2.47
	BSP 3/4" ♡	22	HX30/22	10		4.07
	BSP 1" ♡	28	HX30/28	10		5.96
	Draincock Brass 15mm spigot DZR Brass ♡	15	HX32/15	10		4.42
	Adaptor Converts 1/2" tap connector to 3/8" DZR Brass BSP 1/2"x 3/8" ♡		HX39	10		2.28
	Wall Plate Elbow Hep ₂ O					
	BSP 1/2" ♡	15	HX6/15	5	BI	6.83
	BSP 3/4" ♡	22	HX6/22	5	BI	7.42
	Cylinder Connector DZR Brass BSP 1" (cone ended socket adaptor with nut) ♡	22	HX34/22	5		5.98

Hep₂O



	Description	Nom Dia mm	Cat No	Pack Qty	Colour Ref	Price Each £
	Ball Valve Plated Brass (for hot & cold water use)					
	15x15mm 22x22mm	15 22	HX22/15 HX22/22	5 5		8.26 10.78
	Gate Valve – Hot/Cold DZR Brass Hep ₂ O ends					
		15 22	HX35/15 HX35/22	5 5		6.92 9.87
	Stopcock – Cold Water fitted with Hep ₂ O ends					
		15 22	HX36/15 HX36/22	5 5		6.96 8.34
	Stopcock – Cold Water Hep ₂ O to MDPE Conversion 22mm to 25mm MDPE	22	HX43/22	5		14.79
	Shut-off Valve With hot/cold indicator insert. NB: *SEE USAGE NOTE	15	HX37/15	5	W	4.65
	Appliance Valve With hot/cold indicator insert. NB: *SEE USAGE NOTE	15	HX38/15	5	W	4.55
	Straight Service Valve With hot/cold indicator insert. NB: *SEE USAGE NOTE	15	HX18/15	5	W	4.94
	Angled Service Valve With hot/cold indicator insert. NB: *SEE USAGE NOTE	15	HX19/15	5	W	5.24
	Double-Check Valve Plastics NB: *SEE USAGE NOTE	15	HX72/15	1	W	11.71

***For intermittent hot and cold water use up to a maximum of 65°C**
Not for use with Central Heating

Hep₂O

	Description	Nom Dia mm	Cat No	Pack Qty	Colour Ref	Price Each £
	Radiator Draincock	15	HX23/15	1		6.86
	Two Port Manifold 22x15mm ports Closed Spigot 	22	HX88/22	5	W	5.31
	Two Port Manifold 22x15mm ports All socket 	22	HX88B/22	5	W	5.48
	Three Port Manifold 22x15mm ports Closed Spigot 	22	HX89/22	5	W	7.13
	Three Port Manifold 22x15mm ports All socket 	22	HX89B/22	5	W	7.39
	Two Port Manifold 22x10mm ports All socket 	22	HX92B/22	5	W	5.48
	Four Port Manifold 22x10mm ports All socket 	22	HX94B/22	5	W	7.39
	Two Port Manifold 22x10mm ports Socket and closed spigot 	22	HX92/22	5	W	5.31
	Four Port Manifold 22x10mm ports Socket and closed spigot 	22	HX94/22	5	W	7.13
	Four Port Manifold 22x10mm ports Socket and closed spigot, on one side 	22	HX96/22	5	W	8.14
	Four Port Manifold 22x10mm ports All socket, on one side 	22	HX96B/22	5	W	8.14

Hep₂O

	Description	Nom Dia mm	Cat No	Pack Qty	Colour Ref	Price Each £
	One Port Valved Manifold Plated Brass 3/4" BSP Male/Female. 22mm Hep ₂ O port ♡	22	HX91T/22	1		14.85
	Two Port Valved Manifold Plated Brass 3/4" BSP Male/Female. 15mm Hep ₂ O ports ♡	15	HX92T/15	1		24.93
	Three Port Valved Manifold Plated Brass 3/4" BSP Male/Female. 15mm Hep ₂ O ports ♡	15	HX93T/15	1		36.58
	Four Port Valved Manifold Plated Brass 3/4" BSP Male/Female. 15mm Hep ₂ O ports ♡	15	HX94T/15	1		49.92
	Manifold End Caps 3/4" BSP Female End Cap 3/4" BSP Male End Cap		HX97 HX98	5 5		2.17 2.51
	Manifold Bracket – Pair for HX92T/15, HX93T/15 & HX94T/15		HX95A	2		per pack 14.30
	Radiator Outlet Back Box Plastic (for stud wall)		HX109	5	W	2.29
	Radiator Outlet Back Box Metal (for solid wall)		HX110	5		1.92
	Radiator Outlet Cover with Flap For use with HX109 & HX110		HX113	5	W	5.05
	Back Box Grommet For use with HX110		HX112	50	BI	per pack 6.26

Hep₂O

	Description	Nom Dia mm	Cat No	Pack Qty	Colour Ref	Price Each £
	Escutcheon Plate	10	HX83/10	50	W	per pack 15.65
		15	HX83/15	50	W	per pack 15.65
	Pipe Clips – Screw	15	HX85/15	50	W	0.23
		22	HX85/22	50	W	0.23
		28	HX85/28	50	W	0.37
	Pipe Clip – Spacers	15	HX86/15	20	W	0.18
		22	HX86/22	20	W	0.23
	Pipe Clip Cable Type	10	HX65/10	50	W	0.14
		15	HX65/15	50	W	0.23
		22	HX65/22	50	W	0.23
		28	HX65/28	50	W	0.28
	Flat Tap Connector Washers – Rubber	15	HX58/15	20		per pack 3.23
		22	HX58/22	20		per pack 3.23
	Conical Tap Connector Washers – Rubber	15	HX57/15	20		per pack 3.23
		22	HX57/22	20		per pack 3.23

Hep₂O

	Description	Nom Dia mm	Cat No	Pack Qty	Colour Ref	Price Each £
	Hep ₂ O Silicone Lubricant Spray 400 ml Aerosol Can Hep ₂ O Fittings		HX200	1		8.44
	Hep₂O Joint Test Kit		HX81	1	Rd	295.60
	Replacement Seals		HX81A	1		35.94
	Product Display Stand Height 1840mm (1620mm + header 220mm) Depth 500mm Width 1000mm		HX2009	1	Bl	398.57

Hep₂O

	Description	Nom Dia mm	Cat No	Pack Qty	Colour Ref	Price Each £
	Cold Forming Bend Fixture	15	HX75/15	5		1.56
	Metal with passivate finish	16	HX75/16	5		1.56
		22	HX75/22	5		2.19
	Pipe Cutter – Scissor Type Standard		HD74	1	Rd	12.30
	Pro Cutter		HD75	1	Rd	26.26
	Pipe Cutter – Ratchet Type up to 42mm pipe up to 28mm pipe		HD77	1	Rd	38.71
			HD78	1	Rd	31.02

Hep₂O

	Description	Nom Dia mm	Cat No	Pack Qty	Colour Ref	Price Each £
	Conduit Pipe	15	HXC25/15	25m	Bl	25.85
		15	HXC50/15	50m	Bl	51.72
		22	HXC25/22	25m	Bl	32.32
		22	HXC50/22	50m	Bl	64.31
	Conduit Junction Box		HX100	1	Bl	4.29
	Conduit Junction Box Lid		HX104	1	Bl	1.43
	Conduit Terminal	15	HX101/15	2	Gn	5.97
	Terminal Back Plate		HX103	1		1.20
	Routabout Spacer Ring Ring, 250mm, for 18mm board		HX404	-	Rd	6.13
	Ring, 250mm, for 22mm board		HX405	-	Rd	7.35

	Description	Nom Dia mm	Cat No	Pack Qty	Colour Ref	Price Each £
	UFH Packs Conservatory Pack	16	UH150	1		499.95
	Room System Control Pack	16	UH200	1		540.01
	Room System Pipe Pack	16	UH201	1		199.97
	Room System Twin Circuit Pack	16	UH202	1		53.73

Numerical Index

Cat No	Pack Qty	Price Each £	Page No	Cat No	Pack Qty	Price Each £	Page No
HD1/10	10	2.65	4	HD125B/15	2	5.72	6
HD1/15	10	1.68	4	HD125B/22	1	5.72	6
HD1/22	10	2.37	4	HD225A/15	2	7.43	6
HD1/28	5	6.43	4	HD225B/15	2	8.59	6
HD2/15	10	2.75	4	HD225B/22	1	8.59	6
HD2/22	10	2.12	4	HX6/15	5	6.83	7
HD2/28	5	5.17	4	HX6/22	5	7.42	7
HD3A/22	10	3.25	4	HX18/15	5	4.94	8
HD4/10	5	3.01	4	HX19/15	5	5.24	8
HD4/15	5	2.05	4	HX20/15	10	2.29	5
HD4/22	5	3.01	4	HX20/22	10	2.90	5
HD4A/15	5	3.01	4	HX22/15	5	8.26	8
HD5/10	10	3.01	4	HX22/22	5	10.78	8
HD5/15	10	2.05	4	HX23/15	1	6.86	9
HD5/22	10	3.01	4	HX28/15	10	4.42	7
HD5/28	5	7.71	4	HX28/15	10	6.36	7
HD8/10	10	3.24	4	HX28/22	10	6.36	7
HD8/15	10	2.25	4	HX28/28	5	12.49	7
HD8/22	10	3.24	4	HX29/15	10	4.42	7
HD10/10	10	3.71	4	HX29/22	10	6.36	7
HD10/15	10	2.89	4	HX29/28	5	12.08	7
HD10/22	10	3.93	4	HX30/15	10	2.47	7
HD10/28	5	10.64	4	HX30/22	10	4.07	7
HD12/22	5	3.93	5	HX30/28	10	5.96	7
HD12/28	5	10.64	5	HX31/15	10	2.47	7
HD13/15	5	3.93	5	HX31/22	10	4.07	7
HD13/22	5	3.93	5	HX31/28	10	5.96	7
HD13/28	5	10.64	5	HX32/15	10	4.42	7
HD13A/22	5	3.93	5	HX34/22	5	5.98	7
HD13A/28	5	10.64	5	HX35/15	5	6.92	8
HD14/15	5	3.93	5	HX35/22	5	9.87	8
HD14/22	5	3.93	5	HX36/15	5	6.96	8
HD14/28	5	10.64	5	HX36/22	5	8.34	8
HD14A/22	5	3.93	5	HX37/15	5	4.65	8
HD15/15	5	3.93	5	HX38/15	5	4.55	8
HD15/22	5	3.93	5	HX39	10	2.28	7
HD18/15	5	3.93	5	HX43/22	5	14.79	8
HD18/22	5	3.93	5	HX44/10	10	0.78	6
HD18/28	5	10.64	5	HX44/15	10	0.92	6
HD18A/22	5	3.93	5	HX44/22	10	0.92	6
HD25A/15	10	2.76	5	HX44/28	10	1.10	6
HD25B/15	5	3.26	5	HX54	10	1.35	6
HD25B/22	5	3.54	5	HX54A	10	1.35	6
HD26A/10	5	2.80	6	HX57/15	20	per pack 3.23	11
HD26A/15	5	2.34	6	HX57/22	20	per pack 3.23	11
HD26B/15	5	2.80	6	HX58/15	20	per pack 3.23	11
HD26B/22	5	3.03	6	HX58/22	20	per pack 3.23	11
HD27/15	5	3.06	5	HX60/10	20	0.34	4
HD62/10	10	2.35	6	HX60/15	50	0.35	4
HD62/15	10	2.24	6	HX60/22	50	0.45	4
HD62/22	10	2.81	6	HX60/28	20	0.67	4
HD62/28	5	4.42	6	HX65/10	50	0.14	11
HD74	1	12.30	13	HX65/15	50	0.23	11
HD75	1	26.26	13	HX65/22	50	0.23	11
HD77	1	38.71	13	HX65/28	50	0.28	11
HD78	1	31.02	13	HX72/15	1	11.71	8
HD125A/15	2	5.00	6	HX75/15	5	1.56	13

Numerical Index

Cat No	Pack Qty	Price Each £	Page No	Cat No	Pack Qty	Price Each £	Page No
HX75/16	5	1.56	13	HXX03/22	10	10.19	3
HX75/22	5	2.19	13	HXX03/28	10	13.96	3
HX79/10	10	0.24	6	HXX25/10	1	35.32	3
HX79/15	10	0.28	6	HXX25/15	1	41.58	3
HX79/22	10	0.28	6	HXX25/22	1	81.13	3
HX79/28	10	0.31	6	HXX25/28	1	109.40	3
HX81	1	295.60	12	HXX50/10	1	69.60	3
HX81A	1	35.94	12	HXX50/15	1	82.26	3
HX83/10	50	per pack 15.65	11	HXX50/22	1	160.66	3
HX83/15	50	per pack 15.65	11	HXX50/28	1	217.76	3
HX85/15	50	0.23	11	HXX100/10	1	137.12	3
HX85/22	50	0.23	11	HXX100/15	1	161.98	3
HX85/28	50	0.37	11	HXXC2528	1	210.50	3
HX86/15	20	0.18	11	HXXC5010	1	144.56	3
HX86/22	20	0.23	11	HXXC5015	1	166.23	3
HX88/22	5	5.31	9	HXXC5022	1	255.68	3
HX88B/22	5	5.48	9	UH150	1	499.95	14
HX89/22	5	7.13	9	UH200	1	540.01	14
HX89B/22	5	7.39	9	UH201	1	199.97	14
HX91T/22	1	14.85	10	UH202	1	53.73	14
HX92/22	5	5.31	9				
HX92B/22	5	5.48	9				
HX92T/15	1	24.93	10				
HX93T/15	1	36.58	10				
HX94/22	5	7.13	9				
HX94B/22	5	7.39	9				
HX94T/15	1	49.92	10				
HX95A	2	per pack 14.30	10				
HX96/22	5	8.14	9				
HX96B/22	5	8.14	9				
HX97	5	2.17	10				
HX98	5	2.51	10				
HX100	1	4.29	14				
HX101/15	2	5.97	14				
HX103	1	1.20	14				
HX104	1	1.43	14				
HX109	5	2.29	10				
HX110	5	1.92	10				
HX112	50	per pack 6.26	10				
HX113	5	5.05	10				
HX200	1	8.44	12				
HX310/15	5	1.47	4				
HX404	-	6.13	14				
HX405	-	7.35	14				
HX2009	1	398.57	12				
HXC25/15	25m	25.85	14				
HXC25/22	25m	32.32	14				
HXC50/15	50m	51.72	14				
HXC50/22	50m	64.31	14				
HXP03/15	10	4.52	3				
HXP03/22	10	8.78	3				
HXP25/22	1	69.92	3				
HXP25/15	1	35.72	3				
HXP50/15	1	70.74	3				
HXP50/22	1	138.47	3				
HXP100/15	1	139.29	3				
HXX03/15	10	5.21	3				

Important Notes

All purchases are subject to our standard terms and conditions of sale, available at www.wavin.co.uk or call for a copy.

Prices are subject to VAT at the current rate.

Fittings of all product ranges must be ordered in their pack multiples as illustrated in price list.

Free delivery is subject to minimum order values as stated in your Wavin agreement.

Quality Assurance

Wavin manufacturing sites operate Environmental Management Systems which comply with the requirements of and are certified to EN ISO 14001:2004, Certificate No. 1473.

All Wavin products are manufactured under a quality management system which is approved to BS EN ISO 9001: 2008.

Contact

Orders and enquiries	Tel: 0844 856 5152
Literature requests	Email: literature@wavin.co.uk
Technical advice	Tel: 0844 856 5165
	Fax: 0844 856 5166
	Email: technical.design@wavin.co.uk

Hep₂O®

**Pocket
Trade Price List**



Meeting your needs

Wavin offers a comprehensive range of plastic, clay and terracotta systems under the OSMA, Hepworth, Hep₂O® Intesio and Certus brands that provide intelligent solutions for all Building & Installation, Civils & Infrastructure and Surface Heating & Cooling applications.

Wavin offers a programme of continuous improvement and reserves the right to modify the specification of products without notice. All information in this publication is believed to be correct at time of going to press. However, no responsibility can be accepted for any errors or omissions.



Wavin

Registered Office
Crow Edge
Sheffield
S36 4HG

www.wavin.co.uk